PS

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX

Issues 128-133

(Jul-Dec 1963)

INDEX NO. 8
to
ISSUES 128 - 133
(July - December 1963)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 128 to 133 INCLUSIVE

	PS	Page
A		
ADAPTER (See WELDING)		
ADAPTER SET		
Engine Electrical Test--See SM's for breakdown of sets	133	64
AIRCRAFT, ARMY		
Fixed Wing		
CV-2 (Caribou)		
Brake use covered by TB	130	46
OV-1 (Mohawk)		
Ejection Seat--Change stencil on drogue gun barrel	130	46
Electrical System--Name plates on rotary inverters	128	52
Landing Gear--Use MIL-H-5606 in struts	129	38
Pneumatic actuator supply info	129	39
U-8 (Seminole)		
Engine--check for cause of lean mixture	129	42
Engine--Spring-type clamps on intake tubes	130	45
Engine--TBO change	129	65
Rotary Wing		
CH-21 (Shawnee)		
Engine oil coolers can burst in cold weather	130	40
Fabricate keel bolt ratchet wrench	130	38
CH-37 (Mojave)		
Main Rotor Head--Hit all grease fittings	130	46
OH-13 (Sioux)		
Hot weather storage for canopy doors	129	44
Tail rotor shaft bearing check	133	44
OH-23 (Raven)		
Hot weather storage for canopy doors	129	44

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
UH-1A (Iroquois)		
Tail Rotor Hub--Use correct data plate number	131	57
UH-1B (Iroquois)		
Rotor blade tape info	130	39
UH-19 (Chickasaw)		
Engine--Clogged rocker box drains	129	37
AIRCRAFT, ARMY, GENERAL		
Anti-icing--Use fluid, MIL-D-19418	133	65
Bearings, Rod End--Keep Teflon type free of grease	128	52
Cleaning--Use of proper materials	131	48
Compass card FSN	133	46
EIR--Ship part exhibit as is	131	57
Electrical cable care	130	37
Engine--Lockwire oil pressure valve caps	128	53
Engine--Magneto aligning tool	132	39
Greases--Don't mix	131	57
International servicing symbols	132	34
Lubricator--Lube it	133	46
Maintenance Inspection Guide--TB AVN 23-67	130	46
Pitot tube cover care	130	39
Publications		
DA Circulars 310-Series--Keep pubs current with	128	49
Tool Set, Org Maint, Army Aircraft--See SM 55-4-5180-A08 (28 Nov 62)	130	46
Up date with DA Form 2028	131	57
Use organizational maintenance pubs for assembly	133	37
Ski maintenance	133	38
Snap ring tools and use	130	42
Spark Plugs--Cleaning practices	129	40
Supply		
"X2" reqs for OV-1 pneumatic actuator	129	39
Tankers--Check meter screen to prevent fuel contamination	130	46
Test flights don't affect PE scheduling	129	41
Tow Tug--Stencil warning when used in confined areas	128	53
AIR TANKS		
Drain them each day	131	14
ANALYZERS		
ZM-3/U--Replace 6C4W tube	128	63
ANTENNAS		
AT-454A/ARC 44--Watch binding	129	50
Insulators--Cold weather	133	10

	PS	Page
ANTI-FREEZE		
Mixing, supply	133	20

B

BATTERY		
Metal die sets for stamping--How to get	133	19
Nickel cadmium--BB-422/U charging and maintenance	133	5
Signal		
Remove cellophane cover from sockets	129	53
BORE CLEANER		
Keep it off your skin--It bites	128	2
BREATHING APPARATUS		
M20, Mind the timer	128	65
BREECHBLOCK		
Howitzers--Close it all the way	129	5
BULLDOZER		
Tournadozer lubrication	133	61

C

CABLE, FIRE CONTROL		
Connections--Don't use electrical insulating compound	130	14
CABLE, SLAVE (See TANK, M60 and M60A1)		
CAMERA EQUIPMENT		
Cold weather fix	133	11
CARRIER, PERSONNEL, ARMORED, M59		
O-Ring figure correction	129	25
CARRIER, PERSONNEL, ARMORED M113		
Coat magnesium-alloy components	128	18
Don't paint sight plugs	132	65
FSN for litter kit	128	65
How to order heater	129	26
How to slave	129	65
Replacing anchor screws	129	26
Replacing bad starters	130	28
Socket for sprocket	129	65
CBR		
M55 Gas Rocket--Loading	128	4

	PS	Page
CHAIN, PORTABLE HOISTING, HERCULES		
Check rust on chain	131	24
CHAINS, TIRE		
Authorization	130	17
CHASSIS, TRAILER		
Take care of air filters	130	23
CHEMICAL AGENT (See DETECTOR KIT)		
CHIEF OF STAFF		
Statement on Readiness	130	1
CRANE, ROUGH, TERRAIN,		
Drill hole in boom to remove water	130	65

D

DETECTOR KIT		
Chemical Agent M15A1A & M18A1--Two new kits	129	54
Chemical Agent M18A1--Can now order extra blue band tubes	129	55
DRIVER TRAINING, SAFETY		
Points an M151 operator should know	128	22
DECONTAMINATION		
Decon Unit, M3A3		
Attach chain to hopper cover	133	63
Don't step on clutch hand lever	130	64

E

ENGINES, CONTINENTAL		
New oil drain intervals	128	20

F

FAN, COOLING (NIKE)		
Drive belt adjustment	129	10
FIELD RANGE, M1937		
Field fix to use old generator cylinders	129	59
FIRE EXTINGUISHERS		
Quick Aid CPS2--Hold down	129	58

	PS	Page
FIRING MECHANISM, M34		
Close breechblock 'cause firing mechanism lacks safety	129	5
Don't strike the handle	129	3
FLASHLIGHT		
Infrared filter FSN for MX-991	133	62
FORMS, DA, DD, SF, ETC.		
DA Form 2063R is obsolete for PLL use	130	60
DA Form 2407, Not for correcting TM errors, or TAER SOP	128	48
DA Form 2407--Send to new address	129	45
DA Form 2407--Use for ideas	131	64
DA Form 2408-1--Send to new address	129	45
DA Form 2408-7--Send to new address	129	45
DA Form 2408-8--Send to new address	129	45
DD Form 1397--Keep card until first service is done	129	64

G

GAGE, TIRE PRESSURE		
How many authorized	133	27
GENERATOR		
Shutter lever check	133	61
GENERATOR SETS		
PU-294/G--Reposition extinguishers	130	59
GROUNDMAN'S EQUIPMENT (See TOOLS)		
GUN, MACHINE, M60, 7.62-MM		
Kit to reinforce blank firing attachment	128	65
GUN, MACHINE, M73		
Be Your Own Inspector	130	2
GUN, SELF-PROPELLED, 155MM, M53		
Raising spade cable	129	2
GUN, SELF-PROPELLED, 175-MM, M107		
Elevation handwheel danger	132	56
New idle rate	132	59
Operating recoil spade locks	133	18
Rammer chain	132	58

H

HANDSET
Handset, headset cords--How to unkink them 128 61
HEADSETS
Handset, headset cords--How to unkink them 128 61
HARDWARE KIT (See PUBLICATIONS--SM 9-4-5180-A20)
HAWK
Battery Control Center 129 9
Ground BCC when running air conditioner
Crew Chief Junction Box--Water can get in six ways 130 15
General--Wash salt water from equipment 128 6
Launcher--Use OGR in motor pump assembly's gear case 133 49
Loader
Drain water from loader arms 128 7
Hydraulic lines can get caught on azimuth cylinder bracket 129 9
Hydraulic pump drive belt listed 130 65
Put circuit breakers ON when operating loader 133 47
Missile
Be careful with warhead support bolts 128 5
Missile Handling Equipment--No procedures for user to load test equipment 128 7
Missile Test Shop--File latch on access door 128 6
Missile Test Stand
Don't drag--and use leg locking knobs right way 129 8
Pallet--Keep missile anchoring device stud tight 130 14
Publications--TM lists repair parts and special tools for all-weather shelters 131 65
Test Set, Receiver--Handle with care 133 48
HONEST JOHN
Rocket Motors--Use right ignition handles 129 15
HOW TO GET PS 133 65
HOWITZER, 8-INCH SELF-PROPELLED, M55
Raising spade cable 129 2
HOWITZER, 105MM
Be your own inspector 131 37
HOWITZER, 105-MM, SELF-PROPELLED, M108
New idle rate 132 59
HOWITZER, 8" SELF-PROPELLED, M110
Elevation handwheel danger 132 56
New idle rate 132 59
Operating recoil spade locks 133 18

	PS	Page
HOWITZER, 155MM, SELF-PROPELLED, M44 SERIES		
7 Turret support lube fittings	128	12
HOWITZER, 155-MM, SELF-PROPELLED, M109		
New idle rate	132	59

I

INSPECTION		
Be Your Own Inspector		
M73 Machine Gun	130	2
M5 Paint spray respirator	131	58
105-mm Towed howitzer	131	37

K

KIT		
Tubeless tire, repair	131	65
KIT, HARDWARE (See PUBLICATIONS--SM 9-4-5180-A20)		
KIT, M5A1		
Remove from M14 series mask carriers	128	65
KIT, TENTAGE REPAIR (See TOOLS)		

L

LAUNCHER, ROCKET 3.5 INCH		
Keep contact latch group clean	133	51
LAUNCHER, ROCKET M91		
Pull out safety plug	129	6
LIGHT BULBS		
FSN for "Rough Service" bulbs	130	50
LINEMAN'S TOOLS, TE-21 (See TOOLS, Signal)		
LITTLEJOHN		
Launcher		
Bent cam chatter	128	9
Elevating Handwheel Warning	128	8
Rocket, Training		
Check electrical connections	128	9
LOADING		
Signal for overhanging loads	133	62
LOUDSPEAKER		
LS-166/U--Don't stretch cable	129	50

	PS	Page
LUBRICATION		
Greasing wheel bearing hubs	129	17
LO 9-2320-212-12 should be dated 14 Dec 62	129	45
LO and TM--Go by latest LO published separately	133	65

M

MAINTENANCE		
General Policy	128	1
Keep Equipment Ready	131	1
Maintenance goes streamlined	132	1
Maintenance keeps equipment ready	130	1
Men and equipment must be ready	133	1
MATERIALS HANDLING EQUIPMENT		
10,000 lb. Rough Terrain--Use at missile site	128	40
MISSILE, TRANSPORTING		
M529 and M54 Combo--Turns vs street width.	133	22
MUD FLAPS (See TRUCK, TRACTOR, GENERAL AND TRAILER, SEMI, GENERAL)		

N

NIKE, GENERAL (AJAX AND HERCULES)		
Acq Antenna--Gear box venting	129	13
Vans--Tighten cooling fan belts	129	10
NIKE HERCULES		
"A" frame hand chain anti-rust PM	131	24
Launcher		
Don't put grease on pin shelf	131	26
Extension shaft of cam operated equilibrator by-pass valve needs maintaining	131	27
Keep umbilical cable out of way of skip release mechanism	128	10
Keep water out of aiming circle mount tube.	131	28
Table in TM 9-1440-250-12/1 lists wrong MWO.	133	65
Tape or fill holes in trunnion caps with GAA	131	28
Missile		
Check blast tube nozzle closure for cracks	130	13
Check 9-1/4 second motor delay timer while in missile	129	12
Don't paint ram pressure probes	131	25
RF Test Set--Anchor nuts can cause short.	131	25
Trailer, Guided Missile XM529--Exercise snubber pumps	128	10

	PS	Page
NIKE-HERCULES (HIPAR)		
Check oil in pump for electron tube liquid cooler every 10 days	133	50
Stalo cabinet--Dirty screen filter can ruin electron tube	130	16

O

OEM		
Truck, 5-ton, Wrecker M543	128	11
OPERATION ARM	129	1

P

PAINT		
Enamel--For helmets	131	61
POSTERS--HOW TO GET	130	47
PROTECTIVE MASK		
Against carbon monoxide	130	61
M17		
Cleaning	133	65
Cover snap fastener caps with tape in cold weather	131	58
Wear your outserts	131	59
PS MAGAZINE		
How to get old issues	131	65
PUBLICATIONS		
AR 735-35--Stock allowances, CEI's	133	60
Commercial--How to get	129	60
MWO's remaining on URGENT list	131	62
New	128	11
	129	45
	130	47
	131	10
	132	55
	133	28
SB 9-150--For MWO kit items	132	60
SM 9-4-5180-A20--Hardware for installing tools on truck	130	65
TM 9-500--Reference TM for ORD type equip.	128	11
TM 9-2320-211-10 (Mar 63)	129	65

	PS	Page
PUBLICATIONS, SUPPLY		
AR 711-5, on selected items	131	63

R

RADAR SET		
AN/MPS-23--New tube as per SB 11-552	130	54
AN/PPS-4--General maintenance	133	2
AN/TPS-1--Cover antenna air vent	130	48
AN/TPS-21-33, snap fasteners	130	57
RADIAC		
AN/PDR-27J--Turn in spare JAN type tubes 5962, 5979, 5980	129	51
RADIAC SETS		
AN/PDR-39A--Correcting selector switch binding	128	62
RADIO ACCESSORIES		
No repair parts for some small items	130	49
RADIO BEACON SET		
New AB-155/U masts	130	53
RADIO MOUNTINGS		
Correct FSN's for MT-327/GR	128	63
RADIO RECEIVERS		
AN/GRR-5--Paint panel markings white	128	59
R-174/GRR-5--Don't turn screw	131	10
RADIO SETS		
AN/ARC-44--Keep eye on antenna	128	54
AN/GRC-3 Mounts, MT-297, -298, -299 Replace damaged bushings	130	55
AN/GRC-19--Match fixed antenna wires	128	58
AN/GRR-5--Receiver-Power Supply Cable	133	13
AN/PRC-6		
Cracked corners mean leaks	128	60
Dust cover spring replacement	133	10
FSN for battery retainer	130	52
P-T-T microswitch PM	130	52
Removing broken tube pins	129	53
AN/PRC-6, AN/PRC-8-10 V2 Tube Socket Fix	128	64
AN/PRC-8-10--Release dial lock	128	59
AN/PRC-25 series--PM on all components	132	40
AN/TRC-24--Stow H-90/U handset	132	65
AN/TRC-80--Care in raising antenna	129	52
AN/VRC-12 series--PM on all components	132	2

	PS	Page
RADIO SETS (Cont'd)		
ARC-55--Check blower motor brushes	129	52
M151 gas can crowds antenna mount	130	53
RT-66-68/GRC		
Adjust transmitter antenna coupling shaft	128	60
Don't adjust C-65 capacitor	130	56
Don't force control knobs	129	49
Peak for maximum reading	129	46
RADIO TRANSMITTER		
AN/FRT-51--New Air Duct Hose	130	50
T-195/GRC-19		
FSN for instant-blow fuse	130	54
Replace worn switches	128	58
RADIO-WIRE INTEGRATION		
RWI using EE-8 and SB-86/P	129	48
RANGE FINDER, M-13 SERIES		
Shellac holds setscrews on knobs	129	4
READINESS STATEMENT BY CHIEF OF STAFF	130	1
REEL UNITS		
RL-26E--Lock handle	131	7
RL-39--Fix for braces	130	53
RESPIRATOR, PAINT SPRAY M5		
Be your own inspector	131	58
RIFLE, M14, 7.62-MM		
Keep gas system dry	128	2
RIFLE GRENADE LAUNCHER M76		
Keep it loose when using with M14 rifle	129	7
Stake plunger retaining pin	130	65
ROCKET		
Gas, M55, proper loading	128	4
ROCKET LAUNCHER, MULTIPLE, M91		
Use handle on thermo-cell	128	65

S

SAFETY		
Highway warnings--Placement	129	61
Light signal for extending loads	133	62
SHELTERS, RADIO		
Use 4x4-inch timber to stop shifting in trucks	132	65
SLEEPING BAG		
PM--Supply	129	60

	PS	Page
SMALL ARMS		
Accessories Chart	128	2
Cleaning rod spacer--What it's for	133	57
Cold weather care	133	52
Storage rack space for M1, M2 carbines	130	65
STARTER (see TANK M60)		
SUPPLY		
Cannibalize--nix on some Ord-type items, SB 9-182	130	60
DA Form 2063R is obsolete for PLL use	130	60
Ordering MWO kit items	132	60
Stock combat essential items	133	60
SWITCHBOARD		
SB-22		
Reversed terminations	131	9
Secure phenolic pin	131	8

T

TANK, GENERAL		
Avoid slaving fatalities	129	28
Center guide wear limits	128	17
Effects of lightning	129	27
Generator, how to flash it	133	14
Recoil exercise standards	133	58
Recoil leak standards	133	59
Torque value guide	130	27
TANK, M48		
Torsion Bar--Don't drive in replacement	131	65
TANK, M48A3		
Data specifications	133	19
TANK, M60		
Avoid slaving fatalities	129	28
Do not bump start	131	13
Slave cable added to set	130	26
Some Delco-Remy starters need cleaning before use	131	12
Starter--Get the new and better one	130	26
TANK, M60A1		
Slave cable added to set	130	26
TANK, M88 MRV		
Use of hoisting winch cable	128	16
TELEPHONE		
TA-1/PT		
Don't abuse belt clip or P-T-T switch	130	58

	PS	Page
TELETYPEWRITER		
Fuse facts on TT-98/FG & TT-76/GGC	133	7
TENTAGE REPAIR KIT (See TOOLS)		
TIRE CHAINS		
Authorization	130	17
TIRES		
Air pressure--Variations	131	16
Spare tire valve position	133	25
Tubeless tire repair kit	131	65
TOOLS		
Adapter Set	133	64
Bag checkout for TE-21 Lineman's Kit	133	12
Gage, Tire pressure	133	27
Hand		
Marking	129	63
Sets-Kits		
Army Aircraft--New SM	131	57
Change to TK-100/G	129	65
Screwdriver set--Breaddown of	129	14
Welding--Publications	131	60
Signal		
Conversion of TE-49	130	50
TE-21 Lineman's Equipment	128	56
TE-23--Groundman's equipment	130	51
Tentage Repair Kit	130	62
TOWING		
Vehicle combinations	128	26
TRACKED VEHICLES		
New oil drain intervals	128	20
TRAILER		
Dispose of M15A1 wheel skid guards	133	24
Insert carriage bolts right way to save wear on canvas	129	20
TRAILER, CARGO 1-1/2 TON		
Changing XM105E3 to M105A1	128	38
TRAILER, MODEL 4D-T		
Landing jack screws	128	39
TRAILER, 3/4-TON, M101		
Reflectors--Position	131	23
TRAILER, SEMI, GENERAL		
Mud Flaps--No over-all directive requirement	133	26
TRANSMISSIONS, ALLISON		
New oil drain intervals	128	20
TRIPOD M24		
Attach loop properly	129	4
TRUCK, 1/4-TON, M38A1		
Requisitioning vehicle data plates	130	25

	PS	Page
TRUCK, 1/4-TON M151		
Adjusting turn-radius stop-screw is a support job	128	24
Before using a new arrival check the log book	131	18
Check generator bolts	133	27
Driving tips	133	24
Gas can strap too loose, crowds antenna mount	130	53
Jack and handle, OEM item	131	19
Lower gas cap ears	130	22
Peculiar operational characteristics each operator "must" know	128	22
Power cable for radio	131	6
U-Bolts and capscrews	128	24
Windshield--Don't use as luggage rack	132	65
Windshield lockpin removal	129	24
TRUCK, 2 1/2-TON, G742 SERIES		
Carburetor--Empties when filter screen retainer spring is missing	131	22
Distributor mix-up	131	21
Rear wheel outer bearing seal	130	22
Transfer case howling	130	20
TRUCK, 2 1/2-TON, G749 SERIES		
Front wheel backing plate lock straps	129	22
Instruction plate fix for cuff grabber	130	24
Mechanical parking brake adjustment	131	20
Rear wheel outer bearing seal	130	22
Removing fuel pump and filter	130	19
TRUCK, 2-1/2-TON M35A1		
Crankcase oil level	132	26
Solenoid relay	132	28
Starter switch	132	28
TRUCK, 2-1/2 TON, M109A1 (SHOP)		
Defective circuit breakers	130	21
TRUCK, 3/4-TON, M37		
Correct tire pressure	133	19
Insert carriage bolts right way to save wear on canvas	129	20
TRUCK, 3/4-TON, M37B1		
Correct tire pressure	133	19
TRUCK, 5-TON, G744 SERIES		
Clutch, improved	128	37
Distributor mix-up	131	21
Front axle shafts --End play adjustment	128	27
Hood side panel latch--FSN's	132	65
New operators TM (-10)	129	65
Transfer case howling	130	20
TRUCK, 10-TON, M125		
New chain hoist	130	18

	PS	Page
TRUCK 10-TON G792 SERIES		
Hole in boom's "V" removes rain water	130	65
Rear view mirrors--Large type	131	23
10,000-lb with fork attachment		
Clamp to protect hydraulic hoses	132	63
Rubber pads protect M-409 containers	132	64
TRUCK, FUEL SERVICING		
New filter element	129	65
TRUCKS, GENERAL		
Crankcase oil level	132	26
Drain air tanks daily	131	14
TRUCK, TANK		
M131--Fix to provide static grounding	129	23
TRUCK, TRACTOR, 5-TON, M52		
Fuel tank handle	129	20
Spark arrester muffler	132	65
TRUCK, TRACTOR, GENERAL		
Mud flaps--No over-all directive requirement	133	26
TRUCK, TRACTOR-WRECKER, 5-TON, M246		
Spark arrester muffler	132	65
TRUCK-TRAILER COMBOS		
Turns vs street widths	133	22
TUBES, ELECTRON		
Discarded too soon	131	2

V

VAN, EXPANSIBLE M292		
Publications for M4 body	129	19
VEHICLE TANK RECOVERY M88		
Caution decals for drain valves	128	14
C3, TM 9-2320-222-20	129	65
Fittings on idler housings	128	15
VEHICLES, TACTICAL, GENERAL		
Lubing of generator	129	16
Spare tire valve position	133	25

W

WATER PURIFIERS (MET-PRO)
Install drain cocks 129 56
Valve, flow control, drain 129 56
WATER SPRAYER (MacLEOD)
Spray bar brace 129 57
WELDING
Adapter needed for old style gas cylinders 129 59
Tips no longer available for Smith torch 129 63
WHEELED VEHICLE, GENERAL
Greasing wheel bearing hubs 129 17
Personnel heater assembly FSN 129 18
Towing 128 26
WIND MEASURING SET
AN/MMQ-1--No detergent oil 130 54
AN/PMQ-6--Transmission cable PM 131 6
WIRING, AIRCRAFT
Watch out for kinks 130 37
WRECKER, M543
OEM Publication 128 11

U. S. GOVERNMENT PRINTING OFFICE : 1964 O - 721-997

THE CONDITION OF YOUR EQUIPMENT WILL DECIDE!